

K-DOS is completely compatible with Atari 2.0S and other related software. K-DOS offers the programmer greater reliability, flexibility and control.

**K-DOS features:**

- A machine language monitor which allows examination and alteration of memory in hexadecimal and displays ASCII representation.
- K-DOS is command line driven.
- K-DOS is memory resident.
- DOS commands may be executed when the BASIC or ASSEMBLER cartridge is in control.
- Disk files may be directly transferred to Cassette.
- Cassette files may be directly transferred to Disk.
- Interception of the break instruction does not crash the system, but takes the user back into K-DOS.
- New powerful commands reserve and erase memory.
- K-DOS allows the user to create own commands.
- K-DOS incorporates a null handler, speeds up testing and debugging.
- Commands are English-like with abbreviations.
- Error messages are given in English.

This easily read handbook includes a pocket Command Summary Card.

\*Atari is the Registered Trademark of Atari, Inc.

K-BYTE™, Division of Kay Enterprises Co.  
P.O. Box 456, 1705 Austin • Troy, Michigan 48099

Form No. ATD20000

Printed in U.S.A.



# K-DOS™ HANDBOOK

FROM  K-BYTE™

K-BYTE, a division of Kay Enterprises Co., is comprised of highly-trained professionals who are dedicated to the development and production of the finest software for the personal computer. Programs of the highest quality are produced for home entertainment, personal education and development, home management and business.

K-BYTE is proud to offer K-DOS™, a superior new Atari\* DOS, which is completely compatible with Atari 2.0S and other related software. K-DOS provides you, the programmer, greater reliability, flexibility, and control. K-DOS is command line driven and memory resident with an all important feature of a machine language monitor which allows examination and alteration of memory in hexadecimal and displays ATASCII representation.

K-BYTE and Kay Enterprises reserve the right to make changes in materials and specifications without notice.

\*ATARI is a registered trademark of ATARI, INC.

### About the Author

Marcus Watts, the innovative author of K-DOS, was born in Princeton, New Jersey in 1961 and grew up in Rochester, New York. He is presently a student at the University of Michigan in Ann Arbor, Michigan majoring in Computer Science. His inquisitive mind has placed emphasis upon how things work, particularly in engineering and chemistry. His interests include music, especially the cello, and reading science fiction.

# K-DOS™ USER MANUAL

by



a division of

**KAY ENTERPRISES CO.**

Reproduction is forbidden without specific written permission of K-BYTE, P.O. Box 456, 1705 Austin, Troy, MI 48099. No right to reproduce this document, nor the subject matter thereof, is granted unless by written agreement with, or written permission from K-BYTE.

## Preface:

This K-DOS Handbook is designed to acquaint and instruct the user with K-DOS, an improved version of a Disk Operating System for the Atari® 800™. The primary purpose is to describe and exemplify the commands necessary to manipulate data to and from the disk drive(s).

**SECTION I** explains the general contents of K-DOS and lists the system master diskette files. An overall description of K-DOS features is summarized with comparisons and compatibility to Atari's 2.0S.

**SECTION II** is a handy guide to assist the user with important features, such as terminology, symbols, and syntax conventions used in this handbook.

**SECTION III** summarizes the procedures for powering up equipment, including the console, disk drive(s), and other peripherals. Memory allocations are suggested for use, and the K-DOS operation is examined.

**SECTION IV** gives a more detailed listing of the actual features in both the File Management System (FMS) and Disk Utility Program (DUP).

**SECTION V** details the essential instructions for successfully directing K-DOS commands. These commands are categorized according to type of command for easy usage, i.e. according to disk, file, program, monitor, device, etc. Each category is complete with examples.

The appendices include error messages, FMS patches, a glossary and an index for the user's convenience.

# CONTENTS

<b>Preface</b> .....	i
<b>I. Introduction</b> .....	1
Description of K-DOS .....	1
K-DOS Advantages .....	1
Master Diskette .....	2
Optional Programs Used with K-DOS .....	3
<b>II. Symbols</b> .....	4
Keys on the Keyboard .....	4
Optional Parts of a Command .....	4
Switches .....	4
Additional Symbols .....	5
<b>III. Powering Up</b> .....	6
How K-DOS Boots .....	6
Screen Display when K-DOS is Booted .....	6
Boot Errors .....	6
Memory Allocations .....	6
K-DOS Executions .....	7
How to Enter K-DOS with Cartridge .....	7
<b>IV. Features</b> .....	8
FMS Features .....	8
DUP Features .....	9
<b>V. Commands</b> .....	11
<b>A. Disk Preparation</b> .....	12
How to Format a Disk .....	12
How to Save DOS .....	13
How to Duplicate a Disk .....	13
<b>B. File Control</b> .....	15
1. List Disk Directory .....	15
2. Copy File .....	16
3. Delete File .....	17
4. Lock File .....	17
5. Unlock File .....	18

<b>C. Program Control</b> .....	19
1. Back: How to Get Back to the Cartridge	19
2. WARM: To Force Warmstart, Close Files, Reset Pointers .....	20
3. COLD: To Coldstart the Cartridge .....	20
4. Xit: Another Way to Get Back to the Cartridge .....	21
5. UNLOAD: Erase Memory Area of Cartridge .....	21
6. LOMem: Set Bottom of Memory .....	21
7. DC: Define Character so DOS Commands may be used with Cartridge	22
<b>D. Machine Monitor</b> .....	22
1. Run File (Load Object File and Run It)	23
2. Load File into Memory .....	23
3. Save Memory on Disk File .....	24
4. Start Execution from Hexadecimal Address .....	24
5. Continue from Break Instruction .....	24
6. Examine Memory .....	25
7. Alter Memory .....	25
8. Examine and Alter Registers .....	25
<b>E. Device Control</b> .....	26
1. Reset all Devices .....	26
2. Rewrite Display List, Reopen Screen Editor .....	27
3. Close Open Files, Turn Off Sound, Reset Vertical Blank Vectors .....	27
4. Display Error Messages .....	27
<b>F. DUP Specials</b> .....	27
1. User Defined Commands (UDC)	28
2. Identification of DUP Version .....	29
3. Kill Command .....	29
4. Revive Command .....	29
<b>Command Summary</b> .....	30
<b>Appendices</b> .....	31
A Error Messages .....	31
B EMS Patches .....	31

## SECTION I Introduction

K-DOS, a command-driven DOS, offers more powerful and convenient features than Atari's DOS 2.0S; therefore, it is easier to use. K-DOS permits the user to access disk files and easily manipulate data in numerous ways, i.e. save or load programs, append or delete files, alter memory locations, etc. One of the most significant features of K-DOS includes a machine language monitor which allows the user to examine and alter memory. K-DOS is always memory resident, so it is not necessary to load K-DOS from a disk each time it is used. In addition, K-DOS supports the Atari 850™ handler, the operating system program which allows the use of other devices such as printers and modems.

K-DOS offers the following advantages:

- 1) Convenience
  - (a) K-DOS does not have to be loaded each time it is used.
  - (b) K-DOS will persist to load a program until it loads correctly.
  - (c) K-DOS defaults filenames and wildcards to give greater adaptability.
  - (d) K-DOS allows English commands to be abbreviated.
- 2) Flexibility
  - (a) User Defined Commands allow the user to create personalized commands.
  - (b) DOS Character feature permits DOS commands to be executed when the BASIC or ASSEMBLER cartridge is in control.

3) Understandability

#### 4) Control

New powerful commands, such as COLD and LOMem, offer more control over the system.

#### 5) Reliability

Writing large blocks of memory is safer.

The special master diskette accompanying K-DOS includes the following K-DOS system files:

DOS.SYS	FMS & DUP (always memory resident).
TRANS.SYS	TRANS command used to transfer files on a single drive system (UDC).
UDC.SYS	UDC command.
CHERROR.SYS	A file that lists error messages and allows user to change those messages (UDC).
SQUEEZE.SYS	The program SQUEEZE will remove error messages and optionally allow removal of the UDC tables from K-DOS, giving the user additional memory space.
DISKDUP.SYS	DISKDUP command used to duplicate diskettes (UDC).
HELP.SYS	The HELP command (UDC). When running this program (Type HELP or just H), user will get a brief summary of all legal K-DOS commands.
EQUATE.ASM	A system equate file.
DEQU.ASM	An equate file to entry points inside of DOS (global addresses, inc'ing user callable

The master diskette is write-protected for your protection. We recommend that you use DISKDUP (page 13) immediately to make a duplicate of the original, storing it in a secure place where you are not tempted to use it. It is advisable to duplicate (back up) any disk with valuable files to insure against the loss of important information. Write-protecting a disk also prevents you from accidentally writing over and destroying pertinent information. For further instructions on write-protection, see the Atari DOS Manual.

The K-DOS file format is totally compatible with Atari's 2.0S. Optional programs and products you may find useful with K-DOS include:

- 1) K-COM I, a cartridge-based communications system which turns your Atari into a smart terminal. K-COM I is available through K-BYTE, P.O. Box 456, 1705 Austin, Troy, MI 48099.
- 2) ASM/ED cartridge by Atari which includes a TEXT EDITOR, as well as an ASSEMBLER and a more sophisticated DEBUGGER.
- 3) FIX, available through APX, which allows one to recover from certain kinds of disk catastrophies, such as recovering files accidentally erased and "cleaning" a disk whose VTOC (Volume Table of Contents) is erased.
- 4) Atari Disk Operating System II Reference Manual #C016347.

# SECTION II Symbols

- [ ] indicates keys on the keyboard
  - [break] to terminate an operation
  - [CTRL1] to pause output to the screen
  - [CTRL3] to indicate end of file
  - [return] to send input to the computer; press [return] after each command
  - [system reset] to take you back into DOS
  - [system reset] pressed simultaneously with [start] will get you directly into DUP, bypassing the cartridge

{ } indicates optional parts

Ex. WBOOT {n}  
Proceed {hhhh}

/ indicates a switch used to modify the action of certain commands

Command	Switch	Meaning
<u>DISKdup</u>	<u>/All</u>	all sectors
<u>Save</u>	<u>/Append</u>	add data to existing file
<u>DISKdup</u>	<u>/Forever</u>	retry continuously
<u>Run</u> <u>Load</u>	<u>/Map</u>	load map of the records is to be displayed as program is loaded
<u>Run</u> <u>Load</u>	<u>/Noinit</u>	load into memory, but do not initialize
<u>DELeTe</u>	<u>/Noquery</u>	indicates manipulation of file without asking permission
<u>Run</u> <u>Load</u>	<u>/Patch</u>	ignore memory range error; will then hand over DOS

TRansfer

/SIRG

short interrecord gaps

DISKdup

/Write

when destination is written, disk drive checks to insure file was written correctly

comma:

optional use in the format of a command

space:

necessary in commands, particularly when replacing a comma

ellipsis:

indicates previous parts may be repeated

asterisk:

- (1) wildcard: used to replace combination of characters
- (2) locked file: will appear before file in the directory to show it is locked

?

- (1) wildcard: used to replace one character at a time
- (2) "this message" see page 14.

underlining of commands denotes the proper abbreviation necessary for the successful execution of a command

Ex. DELeTe  
LOMem

denotes minimum abbreviation when defining a UDC

colon:

used each time you refer to a device in DOS

D: disk drive

## SECTION III Powering Up

### A. K-DOS boots the same way as Atari's DOS boots.

1. Turn on television set or monitor.
2. Turn on all disk drives.
3. Turn on the Atari 850 (interface module) if you intend to use any peripherals, such as a printer or modem.
4. Properly insert K-DOS master diskette into drive 1 after the BUSY light goes out.
5. Turn on computer console. K-DOS will now boot.

The screen will display the K-DOS version as follows:

K-DOS™ By K-Byte™  
Copyright 1981  
KAY ENTERPRISES Co.

If you should get a "Boot Error", turn off the computer console for a few seconds, then back on again. Should you continue to get a "Boot Error", check the door(s) of the disk drives and all connections. Further explanation of powering up is explained in the Atari DOS Reference Manual.

### B. Memory Allocations

K-DOS requires 14K to load, including 2K for the 850 handler. The utilities (DISKDUP, TRANS) require at least 32K to be useful.

### C. K-DOS Executions

K-DOS will:

1. Load itself into memory
2. Initialize itself
3. Boot in the 850's handler
4. Print its title
5. Look for an AUTORUN.SYS file (directs automatic run of a particular file)
6. Enter any cartridge if present or else DOS itself\*.

\*To enter K-DOS when the cartridge is in control, type "DOS" from the BASIC or ASSEMBLER cartridge, or press [system reset] while holding down [start]. K-DOS will respond with a "DOS" and wait for commands.

## SECTION IV Features

K-DOS is divided into two parts:

- A. FMS - File Management System, the "control" program.
  - B. DUP - Disk Utility Program, a set of utilities to execute commands called by the FMS. The DUP actually does the labor of the FMS.
- A. The FMS in this version of K-DOS offers the following features:
1. The [break] key will stop any I/O with the disk. You no longer need to strike it several times.
  2. Writing large blocks of memory is safer because it is no longer written directly from memory. With the Atari FMS, pressing [break] enough times to abort a SAVE from Basic would also destroy the program in memory.
  3. FMS will do status checking (check to see if the operation is done correctly or if an error is encountered) of disk drives only on a COLD start. On [system reset], it uses the information it already has.
  4. Digits are now allowed for the first character of filenames; the Atari DOS requires the first character of a filename to be alphabetic.
  5. Appending a file has been made more efficient. This

- B. Features of the Disk Utility Program (DUP) are more recognizable than the features of the FMS. They include:
  1. Machine language monitor. The Alter/Examine commands take advantage of the screen editor allowing the user to examine and change memory in hexadecimal and display its ATASCII representation. The screen editor may be effectively used because the syntax used for changing locations is the same syntax as printed on the screen.
  2. English-like commands with abbreviations. The most common commands may be used with a single letter abbreviation; D,C,B, etc. More dangerous commands, INIT, FORMAT, COLD, DELeTe, and LOMem require more than one letter abbreviation to decrease the possibility of issuing an incorrect command which could wipe data out unintentionally.
  3. New powerful commands: LOMem, COLD. These commands allow more control over the system. LOMem may be used to reserve memory, while COLD, which coldstarts the cartridge, tells BASIC to erase memory.
  4. English error messages for errors encountered by DUP and a way to retrieve them. "ERror nn" will display the error message associated with that nn (decimal number). A list of error messages are given in Appendix A, as printed by the CHERROR.SYS file. Error numbers less than 128 are used for DUP errors. Some error messages are compatible with Atari BASIC.
  5. Interception of the BRK instruction, taking you back into DOS. A BRK in Atari DOS will usually crash the system.
  6. When the cartridge is in control, [system reset]



7. Easy to use and flexible syntax.
  - a. filenames take digits as first character
  - b. commas are optional when replaced by a space
  - c. lower case input is accepted
  - d. commands are abbreviated
8. K-DOS compatability with Atari DOS 2.0S. Users familiar with the Atari DOS can easily adapt to the conveniences of K-DOS.
9. DUP is memory resident. K-DOS does not have to be loaded from a disk each time it is used.
10. UDC (User Defined Commands) permits the user to define a command that loads and runs a machine language program.
11. DC (Defined Character) command. Allows DOS commands to be executed when the cartridge is in control.
12. 850 handler is booted.
13. User callable subroutines. Routines inside of DOS with simple I/O routines to change DOS itself. See DEQU.ASM file.
14. NOTE and POINT work with the screen editor now. POINT is similar to BASIC's Position statement and NOTE is the converse. These are used for consistency in "cleaning" rather than "poking" into memory.

## SECTION V Commands

This section describes in detail K-DOS commands. These commands are grouped into the following categories so that the user may easily refer to and access these commands. Each command is followed by examples to illustrate its function. A summary of commands may be found on page 30.

- A. Disk Preparation / Maintenance**  
Getting disk ready for "storing" data  
Maintaining disk for duplication
- B. File Control**  
Manipulation of files
- C. Program Control**  
Management over the systems operations itself
- D. Machine Monitor**  
Direct association with memory
- E. Device Control**  
Management of devices, including peripherals
- F. DUP Special**  
"User Defined Commands"
- G. Summary**

## A. Disk Preparation/Maintenance

Every disk must be formatted before it can be used. "Formatted" means the disk is organized into tracks/sectors so data can be written onto and read from the disk. You may format a disk with existing files, but you must be certain that you do not wish to preserve these files, because they are destroyed when the disk is formatted.

There are 2 commands used to format a disk:

- 1) **INIT n**  
(n is required for disk number preceded by a space)
  - 2) **FORMAT n**
- 1) **INIT n**  
Formats a disk on drive n, destroying all previous information, but saves DOS.SYS out.
- TYPE:** INIT 1  
(to format disk on drive 1)
- SCREEN DISPLAY:** Type Y to format disk 1
- TYPE:** Y  
(press [return] if you do not wish to format disk, otherwise, respond by typing Y)
- SCREEN DISPLAY:** Saving DOS in D1:DOS.SYS
- Ex. TYPE:** INIT
- SCREEN DISPLAY:** Need 1 thru 8 for disk #
- 2) **FORMAT n**  
Formats a disk on drive n, destroying all previous information and reformatting sectors. Recommended for use when you need extra storage, but do not desire the ability to power up with the disk because DOS is not saved. If you desire DOS after you have

**TYPE:** FORMAT 1  
(to format disk on drive 1)

**SCREEN DISPLAY:** Type Y to format disk 1

**TYPE:** Y  
(press [return] if you do not wish to format disk, otherwise, respond by typing Y)

**TYPE:** FORMAT 2  
(to format disk on drive 2)

**FORMAT 3**

(to format disk on drive 3)

**SCREEN DISPLAY** corresponds to the above example for FORMAT 1.

- 3) **WBOOT {n}**  
Command will save DOS as Dn:DOS.SYS on drive n. Use after the FORMAT COMMAND. Disk must be previously formatted before this command can be used. WBOOT may be used on a diskette that already has files without destroying those files.

**Ex. TYPE:** WBOOT (to save DOS on drive 1)

**SCREEN DISPLAY:** Saving DOS IN D1:DOS.SYS

**Ex. TYPE:** WBOOT 2 (to save DOS on drive 2)

**SCREEN DISPLAY:** Saving DOS in D2:DOS.SYS

- 4) **DISKdup {scr{[,}dest}{/All} {/Write}{/Forever}{/Put}}**

A UDC command used to duplicate the entire contents of a disk onto another disk. This command will run a program, DISK-DUP.SYS which copies an entire disk, sector by sector. It does this by using all free memory as a buffer to read in secto

If only one drive is specified, DISKdup will prompt you to insert the source and destination disks. If arguments are given, they will be fed to the program, or you may type them in at that time. A [return] or [break] in response to "Source,dest " will exit the program.

#### /All

specifies that all sectors, without regard to the directory, are to be copied. Use this if the disk was not formatted by DOS.

#### /Write

specifies that when the destination is written, the disk drive is to check that it was written correctly.

#### /Put

means that each sector is not checked after it is written.

#### /Forever

means you may retry for as long as you wish. If you should hit [break], or if it should give up a sector, it will stop and respond with "Type C, S, Q, A, or ? for help".

C continue trying

S skip

Q quit after this pass

? this message

A abort immediately

DISKdup will warn you if it could not read or

Ex. TYPE: DISK  
SCREEN Disk duplicate V1.8  
DISPLAY: From [,to]  
?

TYPE: 1  
SCREEN Insert source disk, type [return]  
DISPLAY: ?

Insert destination disk, type [return]  
?

[The above instructions will be given until disk is copied correctly.]

SCREEN  
DISPLAY: # sectors copied

Ex. TYPE: DISK 1/F  
SCREEN Insert source disk, type [return]  
DISPLAY: ?

Insert destination disk, type [return]  
?

[Instructions repeated]  
# sectors copied

#### B. File Control

The following eight commands may be used to manipulate files.

- 1) Direct
- 2) Copy
- 3) DElete
- 4) LOCK
- 5) UNlock
- 6) REName
- 7) APPend
- 8) TRansfer

#### 1) Direct {filespec} [,output]

To list the disk directory of the specified files. The filename, extender, and number of sectors will be displayed. The input defaults

**Ex. TYPE: D**  
Prints a directory of all files on drive 1 to the screen.

**D2**  
Prints a directory of all files on drive 2 to the screen.

**DH\***  
Prints all files whose filenames begin with the letter H. \* is used as a wildcard.

**D,P:**  
Prints a disk directory on the printer.

**2) Copy input {,output}**  
To copy the input file to the output file. The output defaults to the screen editor, E:. To just look at a file, type C filename followed by [return].

**TYPE: C TEST.TXT**  
This lists the file TEST.TXT to the screen. Tokenized Basic programs will appear as mostly garbage.

**TYPE: C FILE1 FILE2**  
To copy FILE1 to FILE2 on the same disk on drive 1.

**TYPE: C MONEY D2:EXPENSES**  
To copy a file named MONEY on drive 1 to a disk on drive 2 and call file EXPENSES.

**TYPE: C E:, SWIM**  
To create small text files. TYPE: C E:, filename [return]. Type in your text.  
Breaststroke  
Backstroke  
Butterfly  
Freestyle  
[CTRL3]

Press [CTRL3] for end of file. Remember to press [return] after each line.

**TYPE: C SWIM**  
To look at a file called SWIM on the screen.

**TYPE: C filename**  
If the file is less than 20 lines, the screen editor can be used as a text editor.

To list the file: Use cursor keys to edit the file. Insert an E: after the C, then enter this line and all others in the file. Press [CTRL3]. File has then been edited and changed accordingly.

**TYPE: C PRETTY.ASM,P:**  
File PRETTY is copied on the printer.

**TYPE: C PRETTY.OBJ,N:**  
File PRETTY is copied to the dummy device. This can be used to verify that the file is okay and can be read.

**3) DElete filespec {/Noquery}**  
To eliminate any file you no longer want on your diskette. You will be asked if you want to delete the file unless the /N switch is specified.

**Ex. TYPE: DEL PIC2**  
To delete file called PIC2  
SCREEN Type Y to delete  
DISPLAY: D1:PIC2 Press [return] to keep file

**TYPE: Y [return]**

**Ex. TYPE: DEL NAME/N**  
To delete file called NAME without being asked.

SCREEN  
DISPLAY: DOS

**4) LOck filespec**

**Ex. TYPE:** LOC DRIVER.ASM

After file DRIVER.ASM is locked, you will find an \* preceding the locked file in the directory. When you attempt to write to a locked file, you will encounter ERROR 167, File Locked.

**5) UNlock filespec**

To unlock the indicated file(s).

**Ex. TYPE:** UN DRIVER.ASM

If you want a locked file to become accessible, the UNlock command will reverse the LOCK command so that the file can now be written to or deleted. In the directory, the \* no longer precedes the filename.

**6) REName file, filename**

To change the name of a file.

**Ex. TYPE:** REN CHECKS, PAYROLL

To change the name of file CHECKS to PAYROLL on drive 1.

**TYPE:** REN D2:SUSAN, SUE

To change file SUSAN to SUE on drive 2.

**CAUTION:** It is not a good idea to give two files the same name.

**7) APpend {sourcefile,} destfile**

To add data to the end of an old file.

**Ex. TYPE:** AP DRIVER.ASM, MAZER.ASM

File DRIVER.ASM is added to the end of file MAZER.ASM.

**TYPE:** AP STATE.TXT

GEORGIA  
ALABAMA  
TENNESSEE  
FLORIDA  
[CTRL3]

The source file default to E: so the text

**8) TRansfer filename {/SIRG}**

{,filename} {/SIRG}

To duplicate a file on a one-drive system, This command will take a file from the diskette, store it in memory, and then transfer it to another diskette. The program memory is used as a buffer, so it can read the entire file with one read. This is a UDC program in the file TRANS.SYS.

**Ex. TYPE:** TR PRETTY.ASM

To transfer file PRETTY.ASM from one disk to another, alternating disks several times depending upon the length of the file.

**SCREEN** Set up source, [return]

**DISPLAY:** Set up destination, [return]

**Ex. TYPE:** TR PRETTY,C:/SIRG

/SIRG is used when transferring data to a cassette.

**C. Program Control**

These commands issue management over the systems operations inclusively; getting back to the cartridge, returning DOS to whatever called it, etc.

1) Back

2) WARM

3) COLD

4) Xit

5) UNLOAD

6) LOMem

7) DC {character}

**1) B**ack

This is the official way to get back to the cartridge, BASIC or ASSEMBLER cartridge. If BASIC, then BASIC is in control.

**Ex. SCREEN**  
**DISPLAY:** DOS

or

SCREEN EDIT  
DISPLAY: Takes you back to the ASSEMBLER cartridge.

or

SCREEN  
DISPLAY: No cartridge.  
When cartridge has not been inserted.

REMEMBER: To get back to DOS, type DOS or press [system reset] and [start] simultaneously.

### 2) WARM

To force a warm start, to reinitialize without changing memory, to close files, to reset pointers without erasing memory. Use only if you think DOS might be confused about the cartridge. (This command is useful after RESET command, when you are certain cartridge's memory is intact.)

Ex. SCREEN  
DISPLAY: DOS                   DOS  
TYPE: WARM                   WARM  
SCREEN READY (BASIC)       READY (ASSEMBLER)

### 3) COLD

To coldstart the cartridge. Like NEW in BASIC or in the EDIT/ASM. but more thorough because it erases the program area (user area) of memory.

Ex. SCREEN  
DISPLAY: DOS  
TYPE: COLD  
SCREEN  
DISPLAY: Type Y if okay to coldstart cartridge?

### 4) Xit

Tells DOS to return to wherever it was executing: Another way to get back to the cartridge. In BASIC, if DOS was called from a program, the program will continue.

Ex. SCREEN  
DISPLAY: DOS  
TYPE: X  
SCREEN  
DISPLAY: READY (BASIC)

### 5) UNLOAD

Tries to erase area where cartridge is; unloads any RAM based cartridge and resets LOMem back to the end of DOS. Program inserted between DOS and LOMem area is erased.

Ex. SCREEN  
DISPLAY: DOS  
TYPE: UNLOAD  
SCREEN  
DISPLAY: Type Y if ok to coldstart cartridge?  
TYPE: Y  
SCREEN  
DISPLAY: DOS

### 6) LOMem {hhhh}

Sets the bottom of memory for a cartridge. This can be used to reserve memory for a machine language subroutine that you do not want the cartridge to "play" with. Since

**Ex. TYPE:** LOM  
SCREEN DOS Bottom Low High Top  
DISPLAY: 2F58 31D8 31D8 31D8 9C1F

**Ex. TYPE:** LOM:2F58  
Low memory must be at least 31D8.  
2F58-31D7 is used for disk buffers.

SCREEN  
DISPLAY: LOMem out of range.

- 7) **DC {character}**  
Allows user to define a character, such as a  
"/", and when character is defined, the DOS  
commands may be used with the cartridge.

**Ex. TYPE:** DC /

SCREEN  
DISPLAY: DOS

**TYPE:** B

SCREEN  
DISPLAY: READY

**TYPE:** /C PRETTY

The default is " ". DC with no character  
turns the feature off. Use WBOOT to save  
this character on the disk if you always want  
your character to be different than a " ".  
The DC character by itself puts you some-  
where between BASIC and DOS. [CTRL3]  
takes you back to BASIC. Type "DOS" to  
get back to DOS.

#### D. Machine Monitor

The following commands allow the user to deal directly with  
memory; to examine memory, to change memory, etc.

- 1) Run
- 2) Load
- 3) Save
- 4) Go
- 5) Proceed

- 1) **Run file {/Map}{/Noinit}{/Patch}**  
To load an object file and run it. If the pro-  
gram loads over the program area, the  
loader will ask you if you want to coldstart  
the cartridge.

/Map  
denotes a load map of records is displayed  
as it is loaded.

**Ex. TYPE:** R PRETTY.OBJ/M

/Noinit  
specifies that file may be loaded in memory,  
but do not initialize. This switch will prevent  
a normal LOAD to run this program.

**Ex. TYPE:** R PRETTY.OBJ/N

/Patch  
specifies that memory range error is to be  
ignored. Pointers will load in where file  
instructs it to be loaded. It will then load  
over DOS.

**Ex. TYPE:** R D2:HERE/M/N

SCREEN 6000-6090  
DISPLAY: 02E0-02E3  
6010 INIT  
6020 GO  
BRK at 6020

- 2) **Load file {/Map}{/Noinit}{/Patch}**  
To load a file into memory. It can be run with  
the Go command, if it has a run address (at  
\$2E0).

/Map  
denotes a load map of records is displayed

/Patch  
ignore memory range error; load in where  
file instructs.

**Ex. TYPE:** L D2:HERE/M/N  
SCREEN 6000-6090  
DISPLAY: 02E2-02E3  
6010 INIT  
6020 GO

**3) Save file { / Append } beg end  
{ {init} start }**

To save memory on a disk file. Locations  
\$2E2 and \$2E3 will be set to the run  
address for the Run command. All  
addresses are hexadecimal.

/Append

Adds data to the object file without writing  
another object file header.

**Ex. TYPE:** S D2:HERE 6000 6090 6010 6020

**4) Go { hhhh }**

To start execution at the indicated hexa-  
decimal address (or at the last loaded or  
saved file's run address). Note that this  
command does an implicit CLOSE command  
and doesn't load the registers with their  
stored values. A return address is left on  
the stack so RTS will return control to DOS.  
This may be used to restart UDC.

**Ex. TYPE:** G 5000

**5) Proceed { hhhh }**

To continue execution from a BRK instruc-  
tion. Change the PC if { hhhh } is specified.  
This command does not change the regis-  
ters, and does NOT close files. It can be  
used with the BRK instruction and the Alter  
command to set breakpoints to debug a  
machine language prog n.

**6) Examine { <first> { , <last> } }**

To look at memory in hexadecimal and  
ATASCII. The format is: addr <h1 h2 h3 h4  
h5 h6 h7 h8 " 12345678, compatible with  
the Alter command. The Examine command  
defaults to the last of the following: after  
last Examine command, last Alter com-  
mand, last loaded program or run address if  
present. Examine n will report 8 bytes  
starting at n.

**Ex. TYPE:** E 5000,5010 or  
E 700 or  
E

**7) Alter { hhhh } < { hh } { , } { hh } { , } .....**  
garbage

Alter { hhhh } < "ascii  
or (implicit mode) { hhhh }  
(same as above)

**NOTE:** To change memory in hexadecimal or  
ATASCII. \$60, a diamond or grave accent  
(non-displayable characters) on the printer  
cannot be deposited in memory because the  
Examine command uses this to indicate a  
byte that is not a displayable ATASCII code.

**Ex. TYPE:** A 600 <0 or 600 <0 or 600 <0 " \$ # ? 3 T

**8) REgister  
REgister { r <h }**

To examine and alter the saved 6502  
registers. RE examines all the registers. RE  
r <h alters registers. r represents  
A,X,Y,S,C,P as follows:

A,X,Y are the corresponding registers  
S is the stack pointer  
C is the flags register



**NOTE:** This command is intended for those with the knowledge of machine language.

**Ex. TYPE:** RE P◀9AED  
RE A◀9B, X◀ED or  
RE

### E. Device Control

These commands regulate the functions of the devices, such as the screen editor, the disk drive(s), a printer and/or interface module.

- 1) RESET
- 2) Text
- 3) Close
- 4) ERror nn

#### 1) RESET

This command resets all devices that DOS recognizes. It also coldstarts the cartridge. It can be used while setting the disk drives, and the number of file buffers. To do this, type:

Alter 709◀#buffers, drives  
RESET

(drives is a bit map of the drives that you want and # buffers is the maximum number of I/O channels that you intend to have open at the same time to the disk). This does not kill any user devices. It is most useful when changing buffers.

**\*CAUTION:** Do not confuse the RESET command with the [system reset] key.

**Ex. TYPE:** RESET  
**SCREEN**  
**DISPLAY:** Type Y if ok to coldstart cartridge?

#### 2) Text

This command rewrites the display list and causes the computer to display a clear text screen. It reopens the screen editor in mode 0 and is equivalent to GR.0 from BASIC.

**Ex. TYPE:** T  
**SCREEN**  
**DISPLAY:** DOS

#### 3) Close

To close all open files, turn off the sound, reset the vertical blank vectors, and turn off the player missile graphics. It is similar, yet more powerful than the BASIC command END. BASIC will automatically close files before it calls DOS.

#### 4) ERror nn

This command displays the error message corresponding with nn, a decimal number. Numbers less than 128 are used by K-DOS errors.

**Ex. TYPE:** ER 144  
**SCREEN**  
**DISPLAY:** ERROR 144, DEVICE ERROR

**Ex. TYPE:** ER 38  
**SCREEN**  
**DISPLAY:** Incompatible disk drive

**NOTE:** A list of error messages may be found in Appendix A.

### F. DUP Special Commands

These four commands offer special privileges for the Disk Utility Program.

#### 1) UDC

## 1) UDC User Defined Command

A UDC is a command that permits the user to define a command that loads and runs a machine language program.

The UDCs supplied on the system master diskette along with DOS include:

TRJANS,	D:TRANS.SYS
HJELP,	D:HELP.SYS
UJDC,	D:UDC.SYS
CHJERROR,	D:CHERROR.SYS
DISK]duplicate,	D:DISK0UP.SYS

] denotes minimum abbreviation when defining a UDC. When deleting a UDC, you may use the abbreviation, but not the ].

A UDC can exit with a BRK instruction or an RTS if the stack is preserved. You should use WBOOT or INIT to save the copy of DOS with the UDC table to the disk. DOS commands take precedence over UDCs.

**Ex. TYPE:** UDC  
**SCREEN** UDC manager V1.2  
**DISPLAY:** List, Add, DElete, INIT, Stop  
?

L	List the UDC table
INIT	Clear the UDC table
DEL cmd	Delete the command from the UDC table

## 2) Ident

A command to identify the version of DUP that is in use, repeating the K-DOS title.

**Ex. TYPE:** I  
**SCREEN**  
**DISPLAY:** K-DOS™ By K-Byte™ [same message as when DOS is booted]  
Copyright 1981  
KAY ENTERPRISES Co.

## 3) KILL

KILL deletes the DOS E: vectors and serial input/output patch. Useful if your program machine language accidentally wipes DUP out.

DOS intercepts screen editor and serial input/output. If DUP program has been interfered with and will not run properly, KILL will prevent the use of the program.

**Ex. SCREEN**  
**DISPLAY:** DOS  
**TYPE:** E 20A  
**SCREEN**  
**DISPLAY:** 020A◀11 E8 E3 27 D1 EA B2 E7  
DOS  
**TYPE:** KILL  
**SCREEN**  
**DISPLAY:** DOS  
**TYPE:** E 20A  
**SCREEN**  
**DISPLAY:** 020A◀11 E8 90 EA D1 EA B2 E7

## 4) REVIVE

REVIVE is the opposite of KILL. All errors used in DUP are equated in EQUATE ASM

# COMMAND SUMMARY

Disk Maintenance INIT n  
                   FORMAT, n  
                   WBOOT {n}  
                   \*DISKdup {scr{[, }dest}{/A}{/W}  
                   {/F}{/P}}  
 File Control     Direct, {filespec}{,output}  
                   Copy input {,output}  
                   DELete filespec {/N}  
                   LOCk filespec  
                   UNlock filespec  
                   REName file, filename  
                   APpend {sourcefile, } destfile  
                   \*TRansfer filename {/SIRG}  
                   {,filename}{/SIRG}  
 Program Control Back  
                   WARM  
                   COLD  
                   Xit  
                   UNLOAD  
                   LOMem  
                   DC {character}  
 Machine Monitor Run file {/M}{/N}{/P}  
                   Load file {/M}{/N}{/P}  
                   Save file {/A} beg end {{init} start}  
                   Go {hhhh}  
                   Proceed {hhhh}  
                   Examine { <first >{, <last >}}  
                   Alter {adr}{ < } hex....or "ascii"  
                   REgister {r <h}  
 Device Control RESET  
                   Text  
                   Close  
                   ERror nn  
 DUP Special     \*UDC  
                   Ident  
                   KILL  
                   REVIVE

# APPENDIX A Error Messages

Error No.	Error Name	Cause and Recovery
1	Illegal command	Type HELP for help. DOS didn't understand that command.
2	Not enough memory	The machine language program loads at too high a location, or the UDC table overflowed, or TRANS didn't have enough memory to load the whole file.
8	Number?	You typed an illegal number. Periods and + or - signs are never legal in DOS. A-F is allowed for hexadecimal numbers only.
12	Go where?	You didn't specify an address to go to, and there is no run address from the last file loaded. Note: [system reset] destroys the run address.
21	Bad load file	You tried to load a file that isn't a legal load file. Try specifying an extension. Note "File." will specify a null extension.
32	Syntax?	There are extra or illegal parameters.
33	Switch?	Used incorrect Switch designator.
35	Filename too long	You typed in an illegal filename. See "filename" in Glossary.
36	Not a disk file	You can only delete files on a disk drive.
37	No cartridge	B and X commands will work only when you have inserted a cartridge to which you may return.
38	Incompatible disk drives	You can not back up an 810 disk on an 815.

40	Illegal User Def'd Command	You tried to delete a UDC command that was not in the table.	162	Disk full	There are no more free sectors on your diskette. It is time for another diskette.
41	Not Basic—use Back	DOS cannot load or run Basic programs. DOS only knows the internal format of machine language files, and those saved by DOS or the ASM/ED CARTRIDGE.	164	File over-written	Sector does not contain information from this file.
42	LOMEM out of range	You specified an illegal address for the LOMem command.	165	Bad file name	The filespec you have used has incorrect characters in it. See Glossary for correct file-specification.
43	Can't overlay DOS	You tried to load a file that loaded where DOS is.	167	File locked	You cannot append or delete a locked file.
44	Can't proceed		169	Directory full	All the space in the directory has been used.
128	**Break	You hit [break] key. Will stop execution.	170	File not found	File does not exist.
130	No such device	You have tried to use an undefined device. Check for the correct device.	172	Incompatible DOS format	File not created by DOS 2.0S or K-DOS.
136	End of file	No more data is listed in your file.	173	Can't format disk	Bad sectors have been encountered, so disk cannot be formatted.
138	Device timeout	You have issued an incorrect device number or specified the wrong device. Examine all connections. Check and retry the command.			
139	Device NAK	No response because of bad parameters. Device may have received bad data from the computer.			
141	Cursor out of range	Cursor is out of the range for the mode you selected.			
144	Device error	This device cannot execute a legal command. Check if disk is write-protected.			
146	Funct. not implemented	The function is not contained in the handler. You are trying to use incompatible commands and devices.			
154	Concurrent mode I/O not	See 850 Handler Manual.			

## APPENDIX B FMS Patches

The following list of patches may be used to change the FMS allowing you to recover files, etc.

**NOTE: These changes are reserved for the advanced programmer. Use with caution!**

"ALTER 41 ←0" from 3. This tells SIO to be quiet, so any I/O over the serial bus will be silent, including using the disk drive or printer. This is reset by [system reset] to 3. "POKE 65,0" can be used in Basic programs.

"ALTER 792 ←0" from 3. Use this to change the retry count inside of FMS from 3 times to 256 times. This is helpful if the disk is hard to read.

"ALTER 77C ←3" from F. Disk normally times out after 15 seconds. This changes that to 3 seconds.

## APPENDIX C Glossary of Terms

Addr	Abbreviation for address of memory location.
Arguments	Variables listed in filename and in {} after the filenames; everything after the command.
ASCII	The American Standard Code for Information Interchange.
Byte	8 bits; basic unit of measurement.
Boot	A subroutine which initializes the program as computer is powered up.
Buffer	Temporary holding area for data which may be further processed. K-DOS has an internal 256 byte buffer for certain commands (Copy, DElete, Direct).
CC	6502 program status byte; the Flags Register.
CIO	Central input/output subsystem.
D:	Device reference to disk drive.
Defaults	Conditions of falling through if output is not specified; K-DOS has a series of defaults so that you don't have to specify common parts: nothing → D: n → Dn: filename → D:filename :filename → D:filename d:filename → d:filename dn:filename → dn:filename

Where n is a single digit, d is a single letter for a device name, and filename consists of a name of up to 8 alphanumeric characters, and an extension of up to 3 characters.

Certain commands, Direct, Load, Run, DElete (but not with /NOQUERY) have wild-card defaults.

D:	→	D:*. *	all files
D:	→	D:name.*	all namefiles with extensions
D:name.	→	D:name.	extensions only
D:name.ext	→	D:name.ext	just that file
Dest	Abbreviation of destination, i.e. destination file, the receiving file during a transfer of information.		
DUP	Disk Utility Program.		
E:	Device reference to the screen editor.		
Filename	Alphanumeric characters assigned to identify a particular file; up to 8 characters plus 3 additional characters in the extension.		
Filespec	File specification consisting of 1 character device name, an optional device number, a colon, a file-name up to 8 characters and optional extension (consisting of a period followed by up to 3 characters).		
Flags register	6502 status register		
FMS	File Management System.		
K	Kilobyte; 1024 bytes of memory.		
Lower case	Indicates parameters for the commands; K-DOS accepts lower case input.		
N:	Dummy device in K-DOS; anything written to it disappears without a trace; sends return to end of file.		
n	Represents single digit.		
nn	Represents decimal number, i.e. Error nn.		
NOTE	Retrieve I/O device's place.		
Object Code	Another name for machine language.		
Object File	A file with object code in it; DOS can load and generate files that work with DOS 2.0S and the ASSEMBLER cartridge.		

Patches	Repairs used to fix mistakes; see Appendix B.
PC	6502 Program counter which indicates the location in memory where computer was executing program.
POINT	Set I/O device's place.
POKE	To alter a memory location in BASIC.
PEEK	To examine a memory location in BASIC.
ROM	Read Only Memory; permanent memory storage which cannot be changed.
RTS	ASSEMBLER instruction; return from subroutine.
Scr	Abbreviation of source, as in source file; the file containing the information to be sent to the destination file.
SIO	Serial input/output.
SIRG	Short interrecord gaps referring to cassette tapes; see TRansfer command.
Stack pointer	6502 stack pointer; indicates current entry point of a stack of information.
Syntax	The rules of commas, characters, notations, etc. necessary to properly execute a command.
Text Files	Units of information, i.e. lists, results, copies, which may or may not be a program.
Tokenizing	Process of converting BASIC instructions into symbols; for example, "Run" is reduced to 1 symbol or byte.
UDC	User Defined Commands permit the user to define commands that run machine language programs.
Upper Case	Indicates parts necessary for input. For example, in the command Copy, the C is the only charac

**VTOC** Volume Table of Contents; bit map of all available sectors.

**Wildcards** "?" and "\*" - wildcard characters.  
"?" will replace any single character.  
"\*" will replace multiple characters (rest of filename).

# INDEX

## A

A (abort immediately) ..... 14  
A (register) ..... 25  
Address ..... 22,23,24,25  
/All ..... 4,14  
Alter ..... 24,25,30  
APpend ..... 18,30  
/Append ..... 4,24  
Appendices ..... 31-38  
ATASCII ..... 9,25  
ASSEMBLER Cartridge ..... 1,3,19  
Asterisk ..... 5  
Atari DOS ..... 1,3,10  
Atari 850 ..... 1,6,7,10,26  
AUTORUN.SYS ..... 7

## B

Back ..... 19,30  
BASIC ..... 20,21,27  
BASIC cartridge ..... 1,7,19,20  
Boot ..... 6  
Boot Errors ..... 6  
BRK ..... 9,28  
[Break] ..... 4,8,9,24,28  
Buffer ..... 19,21,22,26

## C

C (continue trying) ..... 14  
CHERROR.SYS ..... 2,9,28  
Close ..... 20,24,27,30  
COLD ..... 20,30  
Coldstart ..... 20,21,26  
Colon ..... 5  
Comma ..... 5,10  
Copy ..... 15,16,17,30  
[CTRL1] ..... 4  
[CTRL3] ..... 4,16,22

## D

D: (disk drive) ..... 5,15,16,17,18  
Defaults ..... 35  
Defined character (DC) 10,19,22

Destination disk ..... 14,15  
Direct ..... 15,16,30  
Disk drive ..... 6,12,13,16  
DISKdup ..... 13,14,15,30  
DISKDUPE.SYS ..... 2,13,28  
Display list ..... 27  
DOS.SYS ..... 2,12,13  
DUP ..... 8,9,10,27  
Duplicate disk ..... 13,14,15  
Duplicate file ..... 19

## E

E: (screen editor) 9,15,16,17,26  
EDIT/ASM ..... 20  
Ellipsis ..... 5  
End ..... 27  
EQUATE.ASM ..... 2,29  
ERror ..... 9,26,27,30  
Error messages ..... 9,31,32,33  
Examine ..... 22,25,30

## F

Filename ..... 8,10,18,19  
Filespec ..... 17,18  
Flags register ..... 25,36  
FMS ..... 8,34  
/Forever ..... 4,14,15  
FORMAT ..... 12,13,30

## G

Go ..... 24,30  
Glossary ..... 35

## H

HELPCOPY.SYS ..... 2  
HELP.SYS ..... 2,28  
Hexadecimal ..... 5,24,25

## I

Ident ..... 27,29,30  
INIT ..... 12,28,30  
Initialization ..... 7

## K

# LIMITED WARRANTY

K-BYTE™ will exchange this product within three months from date of purchase if defective in manufacture. Merchandise for exchange must be returned to K-BYTE™ along with proof of purchase. K-BYTE™ shall have no liability or responsibility to purchaser or any other person or entity with respect to any liability, loss or damage caused or alleged to be caused directly or indirectly by this product, including, but not limited to, any interruption of service, loss of business and anticipatory profits or consequential damages resulting from the use or operation of this product. This warranty gives you specific legal rights. You may also have other rights which vary from state to state.

<b>L</b>	
L (list)	28
Load	23,24,30
LOCK	15,17,18,30
LOMem	19,21,22,30
Lower case	10
<b>M</b>	
Machine language	
monitor	9,22
/Map	4,23,24,30
Master diskette	2,3,6
Memory	22,23,24,25
<b>N</b>	
N: (dummy device)	17
nn (decimal number)	26,27
/Noinit	4,23
/Noquery	4,17
Note	10
<b>O</b>	
Object file	23
Optional parts	4
<b>P</b>	
P: (printer)	5,17
/Patch	4,23
Patches	34
Point	10
Proceed	24,30
Program counter	25
/Put	13,14
<b>Q</b>	
Q (quit)	14
Question mark	5,14
<b>R</b>	
RAM	21
REgister	25,26,30
Registers	24,25
REVIVE	27,29,30
ATS	24,28
Run	22,23,30
<b>S</b>	
S (skip)	14
Save	22,24,30
Screen display	6,29
Screen editor	16,26
Sector	12,13,14
Serial I/O	29
/SIRG	5,19
Source disk	14
Source file	18
Space	5
SQUEEZE.SYS	2
[Start]	4,9
Status checking	8
Switch	4
Syntax	10
[System reset]	4,8,9,20,25,26
<b>T</b>	
Text	16,26,27,30
Track	12
TRansfer	15,19,30
TRANS.SYS	2,19,28
<b>U</b>	
UDC	10,27,28,30
UDC.SYS	2,28
UNLOAD	19,21,30
UNlock	18,30
<b>V</b>	
Vector	27,29
Version of DUP	29
<b>W</b>	
WARM	19,20,30
WBOOT	13,22,28,30
Wildcard	5,16,35,38
/Write	5,13,14



## K-DOS™ COMMAND SUMMARY

Disk Maintenance	INIT n FORMAT n WBOOT (n) DISKdup (src); (dest);/A;/W; /F; P;
File Control	Direct (Mespec); output; Copy <out> : output; DELere (Mespec) (N) LOCK (Mespec) UNLOCK (Mespec) AFFixme (file) (name) APPend (sourcefile) destfile [Transfer (name) /SING; [ (name) /SING;
Program Control	Back WARM COLD Xit [R]LOAD LOMem DC (character)
Machine Monitor	Run file (/M) (N) (P) Load file (/M) (N) (P) Save file (/A) beg end ((int) start) Go (Nnn) Proceed (Nnn) Examine ( <first >   <last > ) Alter (addr) ( = ) hex or /asc Register (r-n)
Device Control	RESET Test Close EP or on
DUP Special	UOC Ident KILL REVIVE

\_\_\_\_\_ Indicates the minimum abbreviation  
Indicates a UOC command that normally resides in a disk file

## ERROR MESSAGES

Error No.	Error Name	Error No.	Error Name
1	Illegal command	128	**Break
2	Not enough memory	130	No such device
3	Number?	136	End of file
8	Go where?	138	Device timeout
12	Bad load file	139	Device NAK
21	Syntax?	141	Cursor out of range
32	Switch?	144	Device error
35	Filename too long	146	Funct. not implemented
36	Not a disk file	154	Concurrent mode I/O not active
37	No cartridge	160	Bad drive num
38	Incompatible disk drives	162	Disk full
39	Need 1 thru 8 for disk #	164	File over-written
40	Illegal User Def'd Command	165	Bad file name
41	Not Basic—use Back	167	File locked
42	LOMEM out of range	169	Directory full
43	Can't overlay DOS	170	File not found
44	Can't proceed	172	Incompatible DOS format
		173	Can't format disk

K-BYTE™ Division of Kay Enterprises Co.  
Box 456 • 1705 Austin • Troy, Michigan 48099

